

SLRCD

No SV-225

Poona, 16th Sept. 1922

Subject : Review of Properties and Theedelite-stations in City Survey in C.D.

Reference : Your No. CTSPR, dt. 1-9-22.

Complete review of all the properties and the theodolite stations in City Surveys under regular maintenance is to be made once within 3 years That means at least 33% properties and 33 stations must come under review every year The review work can be said to be adequate if the percentage of work done lies between 30 to 40 inadequate if below 30% and excessive when above 40%

1 Ahemednager,	2/- If this test applied, it is seen that out of 15 City
2 Sholapur,	Surveys in C D which are under regular maintenance
3 Barsi,	the review of properties is adequate in Nos 3, 6, 7,
4 Jalgaon,	8 & 10, inadequate in 15 and excessive in 2,4, 5,
5 Bhusawal,	11, 12, 13 and 14 similarly the review of theedolite
6 Dulia,	stations is adequate in 9, 10, 12, 13 and 14 inade-
7 Nandurbar,	quate in Nos 1 to 8 and 15 and excessive in No
8 Poona,	11
9 Nasik,	
10 Yeola,	
11 Manmad,	
12 Igatpuri,	
13 Bhagur,	
14 Amalner,	
15 Satara.	

I do not expect, of course, that exactly 1/3rd of the properties and 1/3rd of the theedelite stations will be reviewed in each year in each City Survey But tho things must be seen to viz

(1) that each City Survey comes completely under review once in 3 years, and

(2) that is the work is insufficient to accupy a maintenance surveyor fully should get other work to do in addition

Hence in future reports of the nature of these new in review the City Surveys which were due for completion of review the year being reported on should be stated, and figures should be given for the complet 3 years period for such city surveys The maintenance staff should be warned to ensure that the review of all properties and theedelite stations is completed in the third year An excess in one will not be accepted as counter-balancing deficiency in the other for the 3 years period The round of work shoule be completed in the 3rd year. It should, further, either be certified that the work in each City Survey is sufficient for the whole time employment of the Maintenance staff or proposals should be made for giving other work to the staff in cases in which the maintenance work is insufficient.

sd/- A. MACKIE

Ag Director oa Land Records